





NOTE 1 ALTERNATE MARKING: STICKER OR STAMP

|    |       |                              |          |
|----|-------|------------------------------|----------|
| F4 | 45411 | ISO-G 1/2 INT HEX, TH = 20,1 | CD000005 |
| F3 | 45429 | ISO-G 3/4, TH = 20,1         | CD000007 |
| F2 | 45411 | ISO-G 1/2 INT HEX, TH = 20,1 | CD000005 |
| F1 | 45429 | ISO-G 3/4, TH = 20,1         | CD000007 |

| Pos | Article No | Title / Denomination, code, material, dimension etc | Drawing No./ref | Pos | Article No | Title / Denomination, code, material, dimension etc | Drawing No./ref |
|-----|------------|---|-----------------|-----|------------|---|-----------------|
|-----|------------|---|-----------------|-----|------------|---|-----------------|


|       |                              |                      |                |
|-------|------------------------------|----------------------|----------------|
| Title |                              | B5TH/1P-SC-M         |                |
|       | Created Date                 | 2025-01-04           | Created By     |
|       | Article/Configuration number | 0135437.0            | Drawing number |
|       |                              | AU                   |                |
|       |                              | AU00075567_0135437.0 |                |

| Rev No | Alteration                           | Date       | Checked | Approved |
|--------|--------------------------------------|------------|---------|----------|
| 10     | Design Changed according to RD100928 | 2012-04-26 | INRJ    | PDM      |








DEBURR SHARP EDGES; MAX 0.4

ACCORDING TO MQS  
MATERIAL

|   |               |                   |                            |   |  |                |                  |
|---|---------------|-------------------|----------------------------|---|--|----------------|------------------|
| Drawn<br>HR   | Checked<br>TP | Approved<br>PDM   | Created Date<br>1992-08-31 | General geometrical tolerancing ISO 2768<br>m | General surface finish R <sub>a</sub> :<br>3.2 | Scale<br>-     | Paper size<br>A3 |
|  |               |                   | Title<br>ISO-G 3/4         |   |  |                |                  |
| Article / Tool number<br>CD   |               | Design Type<br>CD |                            | Drawing number<br>CD000007                    |  | Revision<br>10 | Sheet<br>1 (1)   |

| Rev No. | Alteration          | Date       | Checked | Approved |
|---------|---------------------|------------|---------|----------|
| 10      | REDRAWN IN INVENTOR | 2004/07/06 | TN      | PDM      |



|                     |               |                |                                   |  |   |  |                |
|---------------------|---------------|----------------|-----------------------------------|--|---|--|----------------|
| Drawn<br>HR         | Checked<br>TP | Approved<br>VP | Created Date<br>1992/05/05        | General geometrical<br>tolerancing ISO 2768<br>m | General surface<br>finish R <sub>a</sub><br>3.2 |  | Scale<br>7:2   |
|                     |               |                | Title<br><b>ISO-G 1/2 INT HEX</b> |  |   |  |                |
| Article number<br>- |               |                | Drawing number<br><b>CD000005</b> |  | Revision<br>10                                  |  | Sheet<br>1 (1) |